NOTICE OF INTENTION TOWNS HOLD MECHANIC'S LIEN ORD 2000 MAR 21 PM 3: 1,0

To: Crossings at Hobart, LLC 1800 Moler Road Columbus, Ohio 43207 MORES VI CARTER

You are hereby notified that the undersigned, Rieth-Riley Construction Co., Inc., an Indiana corporation ("Lienholder") whose address is 301 North Cline Avenue, Gary, Indiana 46406, intends to hold, and does hereby hold, a mechanic's lien upon real estate located in Ross Township, Lake County, Indiana, and commonly known as, The Crossings at Hobart Shopping Center, and more particularly and legally described as follows:

SEE ATTACHED EXHIBIT A.

Lienholder, which claim is specifically alleged to be in the amount of Forty-four Thousand Nine Hundred Forty-five and 00/100 Dollars (\$44,945.00) for labor and materials provided by the undersigned Lienholder for improvements of said real estate, within the last ninety (90) days, which improvements are more specifically described as follows: asphalt paving.

Said claim to include attorneys' fees and expenses of the undersigned Lienholder, interest and all other costs and expenses incurred in connection with the filing and any prosecution, collection or foreclosure proceedings of this mechanic's lien.

Florzell Hawkins, Jr., being first duly sworn on oath, under the penalties of perjury, deposes and states that he is a Marketing Manager for Lienholder that, as such Marketing Manager and on behalf of and as authorized and empowered by said Lienholder, he has executed this Notice of Intention to Hold Mechanic's Lien and that, the facts, statements

28 Fm Cash and contents set forth in the foregoing Notice of Intention to Hold Mechanic's Lien are true to the best of my knowledge, information and belief.

Dated this 21st day of March, 2000.

RIETH-RILEY CONSTRUCTION CO., INC.

301 North Cline Avenue Gary, Indiana 46406

BV

Florzell Hawkins, Jr., Marketing/Manager

STATE OF INDIANA

COUNTY OF LAKE

This Document is the property of SSthe Lake County Recorder!

Before me, the undersigned, a Notary Public in and for said County and State, personally appeared, Florzell Hawkins, Jr., a Marketing Manager for Rieth-Riley Construction Co., Inc., who acknowledged the execution of the foregoing sworn statement and Notice of Intention to Hold Mechanic's Lien, and who, having been duly sworn, under the penalties of perjury, stated that the facts and matters therein set forth are true and correct to the best of his knowledge, information and belief.

Witness my hand and Notarial Seal this 21st day of March, 2000.

My Commission Expires:

11-17-2006

Stacy Majors Notary Public

Residing in Lake County, IN

This instrument prepared by Francis J. Gantner, General Counsel, Rieth-Riley Construction Co., Inc., 3626 Elkhart Road, P.O. Box 477, Goshen, Indiana 46527-0477.

Exhibit A

The land referred to in this commitment/policy is altuated in the State of Indiana, County of LAKE and is described as follows:

PARCEL I: (Fee Simple)

Part of the North 1/2, Section 23, Township 35 North, Range 8 West of the 2nd P.M., in Lake County, Indiana, described as: Commencing at the Northwest corner of said Section 23, thence South 02 degrees 42 minutes 00 seconds East along the West line of said Section 23 a distance of 842.20 feet to the Southerly right-of-way line of the Chesepeake and Ohlo Railroad, thance South 82 dagrees 42 minutes 00 seconds East along said South line 1615.41 feet; thence South 27 degrees 18 minutes 00 seconds West, 748.26 feet; thence South 88 degrees 25 minutes 00 seconds West, 134.54 feet to the point of beginning of this described parcel thence continuing South 88 degrees 25 minutes 00 seconds West, 325.55 feet, thence south 01 degrees 35 minutes 00 seconds East, 193.56 feet to the Northerly line of U.S. Highway #30, thence Easterly along the Northerly line of said Highway, 309.65 toot, thence North 01 degrees 35 minutes CO seconds West, 43.06 feet, thence North 88 degrees 25 minutes 00 seconds East, 17.0 feet; thence North 01 degree 35 minutes 00 seconds West, 150 feat to the point of beginning. Except that part conveyed to the State of Indiana by Warrenty Doud recorded September 19, 1978, as Document No. 49-1229 described as follows: a part of the Northwest Quarter of Section 23, Township 35 North, Range & West, Lake County, Indians, described as follows: Commencing at the Northwest corner of said Section, thence South O degrees 01 minutes 00 seconds West 2,287.90 feet along the West line of said Section to the Southwest Corner of the owner's land, thence South 89 degrees 59 minutes 00 seconds East 350.00 feet to the corner of the owner's land, thence South O degrees O1 minutes OO seconds West 198.80 feet along the West line of the owner's land to the North boundary of U.S.R. 30, thence slong the boundary of said U.S.R. 30 Easterly 463.51 feet along an arc to the right and having a radius of 53,314.70 feet and subtended by a long chord having a beering of South 89 degrees 02 minutes 50 seconds East and a length of 463.51 to the point of beginning of this description, thence North 1 degree 11 minutes 58 seconds East 10.00 feet, thance South 88 degrees 46 minutes 26 seconds East 50.01 feet, thence South 1 degree 15 minutes 10 seconds West 10.00 feet to the North boundary of U. S. R. 30, thence along the boundary of said U.S.R. 30 Westerly 50.00 feet along an arc to the left and having a radius of 53,814.79 feet and subtended by a long chord having a bearing of North 88 degrees 46 minutes 26 seconds West and a length 50.00 feet to the point of beginning.

Parcel II: (Fee Simple)

Continuation

The Crossings at Hobart

Part of the North 1/2 Section 23, Township 35 North Range 8 West of the 2nd P.M., in Lake County, Indiana, described as: Commencing a the Northwest corner of said Section 23, thence South 02°42'00" East along the west line of said Section 23 a distance of 842.20 feet to the Southerly right-o-way line of the Chesapeake and Ohio Rallroad, thence South 62°42'00" East along said Southerly right-of-way 1845.00 feet to the point of beginning of this described parcel, thence South 27°18'00" West, 274.33 feet; thence South 62°42'00" East, 4.0 feet; thence South 27°18'00" Wast, 80.00 feet; thence South 62°42'00" East, 26.41 feet; thence South 27°18 00" West 275.00 feet; thence North 82°42'00" West, 280.0 feet; thence South 27°18'00" West, 339.51 feet more or less to the Northerly line of U.S. Highway #30; thence on a curve to the right with a radius of 53,817.23 feet a distance of 87.67 feet to the point of curve; thence North 88°37'48" East along the Northerly line of said Highway a distance of 1931,83 feet to the Southerly line of the Chesapeaks and Ohio Reilroad; thence North 82°42'00" West. 1542.08 feet to the point of beginning. Except that part conveyed to the State of Indiana by Warranty Deed Recorded September 19, 1978 as Document No. 491229 described as follows: Part of the Northwest Quarter of Section 23, Township 35 North Range 8 West, Lake County, Indiana, described as follows: Commencing at the Northwest corner of said Section; thence South O degrees 01 minutes 00 seconds West 2,287.90 feet along the West line of sald Section; thence South 89 degrees 59 minutes 00 seconds East 350.00 feet; thence South 0 degrees 01 minutes 00 seconds West 196.90 feet to the North boundary of U.S.R. 30; thence along the boundary of said U.S.R. 30 Easterly 661.76 fast along an erc to the right and having a radius of 53,814.79 feet and subtended by a long chord having a bearing of South 88 degrees 56 minutes 49 seconds East and a length of 651,76 feet; thence South 88 degrees 36 minutes 00 seconds East 688.03 feet along said boundary to the point of beginning of this description; thence North 1 degree 24 minutes 00 seconds East 10.00 feet; thonce South 88 degrees 36 minutes 00 seconds East 40.00 feet; thence South 1 degree 24 minutes 00 seconds West 10,00 feet top the North boundary of U.S.R. 30; thence North 88 degrees 36 minutes 00 seconds West 40.00 feet along the boundary of said U.S.R. 30 the point of beginning.

Parcel III: (Non-Exclusive Casement Rights for parking lot, utility crossovers and driveways set out in Document recorded September 16, 1989 as Document No. 058078 and as amended by Amendment to Parking Lot, Utility Crossovers and Driveways Essement Agreement, recorded June 7, 1950 as instrument No. 104844, further amended by instrument No. 94067968, recorded September 30, 1984 and modification of amendment recorded March 22, 1995, as instrument No. 95014837 over, upon and across the following described tract: Also known as Northern Indiana Public Service Company Parcel)

Part of the North 1/2, Section 23, fownship 35 North, Renge 8 West of the 2nd Principal Meridian, in Ross Township, Like County, Indiana, described as follows: Beginning at the intersection of the North Right-of-way line of U.S. Highway #30 and the Northeastern right-of-way of the abandoned C & C Reilroad; thence North 59°57'30" West along said Northeastern Railroad right of way, 1724,96 feet; thence South 30°02'30" West, 100 feet thence South 59°57'30" East along the Southwestern right-of-way of said abandoned railroad right-of-way, 1542.08 feet more or less to the North right-of-way line of U.S. Highway #30; thence South 88°37'42" East, 208.44 feet to the point of beginning.

Continuation

The Crossings at Hobart

NOTE: The instruments creating said casements provide that it is "to be used for parking, ingress and egress by Crentae's employees, agents, representatives, subcontractors, leases, and business invitees and others using the parking lot as part of the business purpose related to the construction and use of the shopping mails being built by Grantae on land adjacent to said Easement Properties" and run to the benefit of the parties thereto and their respective successors and assigns.

Parcel IV: (Non-Exclusive Easement Rights for Common Facilities and Common Utility Facilities as set out in Declaration of Easements, Covenants and Conditions recorded January 30, 1979 as Document No. 513561, and as amended by Supplemental Agreement recorded January 30, 1979 as Document No. 513565; by Amendment to Declaration of Essements, Covenants and Conditions recorded Murch 20, 1987 as Document No. 907788, and by Supplemental Agreement recorded March 20, 1987 as Document No. 907791, and smended by a second amendment to Decisration of easuments, covenants and conditions recorded August 19, 1984, as Instrument No. 94059148 over, upon and across the following described treat, also known as: Toya "R" Us Parcel.) Part of the North half of Section 23, Township 35 North, Range 8 West of the 2nd P.M., Lake County, Indiana, described as commencing at the Northwest corner of said Section 23; thence South 02 degrees 42 minutes 00 seconds East along the West line of said Saction 23, 842.20 feet to the South right-of-way line of the Chesepeake and Ohio Railroad, thence South 62 degrees 42 minutes DO seconds East along said South line, 1652.33 feet to the place of baginning; thence continuing South 62 degrees 42 minutes 00 seconds East along said South line, 192.67 feet; thence South 27 degrees 18 minutes 00 seconds West, 274.33 feat, thence South 62 degrees 42 minutes 00 seconds East 4.00 feet; thence South 27 degrees 18 minutes 00 seconds West, 80.00 feet; thence South 62 degrees 42 minutes 00 seconds East, 26.41 feet; thence South 27 degrees 18 minutes 00 seconds West, 275.00 feet; Thance North 52 degrees 42 minutes 00 seconds West 260.00 feet; thence North 27 degrees 18 minutes 00 seconds East, 276.00 feet; thance South 62 degrees 42 minutes 00 accords East, 36.92 feet; thance North 27 degrees 18 minutes 00 seconds East, 394.33 feet to the place of beginning. (Said Eaxement Benefits all parcels described in Schedule C hereof.

Parcel V: (Non-Exclusive Easement Rights for vehicular and padestrian Ingress and egrass, parking and drainage as set out in Dedication of Easements Covenants and Conditions recorded January 30, 1979 as Document No. 513561, and as amended by Supplemental Agreement recorded January 30, 1979 as Document No. 512565 by Amendment to Declaration of Easements, Covenants and Conditions of corded March 20, 1987 as Document No. 907788 and by Supplemental Agreement recorded March 20, 1987 as Document No. 907791, and amended by a second amendment to Declaration of easements, covenants and conditions recorded August 19, 1994, as instrument No. 94059148 over, upon and across the following described tract, also known as Merriliville Plaza Associates Parcel.)

Part of the North 1/2 of Section 23, Township 35 North Range 8 West of the 2nd Principal Meridian of the Ross Township, Lake County, Indiana lying Southwesterly of the 100 foot right-of-way of the Chesapeuke and Ohio Rallroad and North of the 200 foot right-of-way of U.S. Highway No. 30, described as follows:

Translated by the second

Continuation

Commencing at the Northwest corner of said Section 23; thence South 02°42'00" East slong the West line of said Section 23 a distance of 1,258.66 feet to the point of beginning of this described parcel; thance North 87°18'00" East, 721.33 feet more or less to the South line of soid 100 font wide Chusapenke and Ohio Railroad right-of-way, thance South 82°42'00" East along said South right-of-way, 819.41 feet to a point, 1,662.33 feet South 62°42'00" East from the West line of sald Section 23 and measured along the South line of said reilroad right-of-way; thence South 27°18'00" West, 354.33 feet; thence North 62°42'00" West, 36.92 feet; thence South 27°18'00" West, 614.54 feet more or less to the Northerly right-of-way line of U.S. Highway #30; thence Westerly along the Northerly line of each Highway, 44.97 feet; thence North 01°35'00" West, 43,06 feet; thence North 88°25'00" East, 17.0 feet; thence North 01°35'00" West, 150 feet; thence South 88°25'00" West, 328.65 feet; thence South 01°35'00" East, 193,56 feet to the Northerly right-of-way of U.S. Highway No. 30; thence Westerly along the Northerly line of said Highway, 210 feet to the East line of the American Oil Property described in Deed Recorded in Deed Record 1288 page 189, thence North U2º42'00" West, 191,812 feet along said East line, thence South 87° 18'00" West, 350 feat to a point on the West line of said Section 23, that is 2,287.90 feet South of the Northwest corner of said Section 23, thence North 02°42'00" West, 1,029.24 feet to the point of beginning, (Easements benefit of perceis described in Schedule C hereof, except drainage essement which benefits only Parcels I, II and IV.I

Percel VI: (Intentionally omitted.)

Parcel VII: (Fee Simple)

Part of the North 1/2. Section 23, Township 35 North, Range 8 West of the 2nd Principal Maridian, in Ross Township. Lake County, Indiana, described as follows: Beginning at the Intersection of the North right-of-way line of U.S. Highway Na. 30 and the East line of the West 1/2, West 1/2, Northeast 1/4 of said Section 23, thence South 88°37'48" West along the North right-of-way line of said highway a distance of 178.62 feet more or less to the Northeastern right-of-way line of the abandoned C & O Relined; thence North 62°42' West along said reliroad right-of-way, 1724.96 feet; thence North 27°18' East 20.00 feet; thence North 88°37'48" East, 1661.86 feet more or less to the East line of the West 1/2, West 1/2, Northeast 1/4 of said Section 23; thence South 02°45'48" East 845.37 feet more or less to the point of beginning.

Parcel VIII: (Fee Simple)

The Southeast Quarter of the Northeast Quarter of Section 23, Township 35 North Renge 8 West of the 2nd P.M. and the East half of the Southwest Quarter of the Northeast Quarter of Section 23, Township 35 North Range 8 West of the 2nd P.M. lying North of the Northeast Quarter of Section 21, Township 35 North Range 8 West of the 2nd P.M. lying North of the Northeast line of the Northeast Quarter of said Section 23, described as follows: Commencing at the intersection of the North right-of-way line of the U.S. Highway #30 with the East line of the Northeast Quarter of said Section 23; thence West along the North line of

SEE CONTINUATION SHEET

25

Cornection of the property of the second

Continuation

The Crossings at Hobart

U.S. Highway No. 30, a distance of 180 feet; thence North parallel to the East line of the Northeast Quarter of said Section 23, a distance of 150 feet; thence East parallel to the North line of U.S. Highway No. 30, a distance of 180 feet to the East line of the Northeast Quarter of said Section 23; thence South 150 feet to the point of beginning, in Lake County, Indiana.

Also excepting therefrom that portion described as follows:

Commencing at the point of intersection of the North right-of-way line of U.S. Highway No. 30 with the East line of the Northeast 1/4 of said Section 23, thence North 2 degrees 48 minutes 02 seconds West on the East line of the Northeast 1/4 of said Section 23, a distance of 150,0 feet; thence West parallel to the North line of U.S. Highway 30, a distance of 60.01 feet to a point on a line 60.00 feet West of and perallel to the East line of the Northeost 1/4 of said Section 23, said point being the point of beginning of the hereinafter described tract; thence continuing West on a line parallel to the North line of U.S. Highway 30, a distance of 140.0 feet to a point; thence North 2 degrees 48 minutes 02 seconds West on a line parallel to the East line of the Northeast 1/4 of said Section 23, a distance of 95.17 feet; thence South 88 degrees 37 minutes 48 seconds West, a distance of 166,44 feet to a point; thence South 1 degree 22 minutes 12 seconds East a distance of 246.32 feet to a point on the North right of way line of U.S. Highway 30, thence Westerly on the North right-of-way line of U.S. Highway 30, a distance of 233.50 feet on the arc of a circle whose chord has a boaring of South 88 degrees 20 minutes 00 seconds West, a chord tength of 233.50 feet and a radius of 98117.96 feet to a point; thence North 1 degree 22 minutes 12 seconds West, a distance of 762.53 feet to a point; thence North 88 degrees 37 minutes 48 seconds East, a distance of 28.64 feet to a point; thence North 1 degree 22 minutes 12 seconds West, a distance of 282.84 feet to a point; thence South 88 degrees 37 minutes 48 seconds West, a distance of 50.00 fact to a point; thence North 1 degree 22 minutes 12 seconds West a distance of 160.00 feet to a point on the North line of the Southeest 1/4 of the Northeast 1/4 of said Section 23, thence North 87 degrees 54 minutes 56 seconds East on the last described line, 3 distance of 537,27 feet to a point on a line 60.0 feet West of and parallel to the East line of the Northeast 1/4 of said Section 23, thence South 2 degrees 48 minutes 02 seconds East on a line 60.0 feet West of and parallel to the East line of the Northeast 1/4 of said Section 23, a distance of 1058.72 feet to the point of beginning.

Also excepting therefrom that partion described as follows:

Commencing at the point of int : ection of the North right-of-way line of U.S. Highway No. 30 with the East line of the Northeast 1/4 of said Section 23, thence North 2 degrees 48 minutes 02 seconds West on the East line of the Northeast 1/4 of said Section 23, a distance of 150.0 feet; thence West parallel to the North line of U.S. Highway 30, a distance of 50.01 feet to a point on a line 50.0 feet West of and parallel to the East line of the Northeast 1/4 of said Section 23, thence continuing West on a line parallel to the North line of U.S. Highway 30, a distance of 150.0 feet to a point; said point being the point of beginning of the horsinafter described tract; thence North 2 degrees 49 minutes 02 seconds West on a line parallel to the East line of the Northeast 1/4 of said Section 23, a distance of 95.17 feet; thence South 88 degrees 37 minutes 48 seconds West, a distance of 166.44 feet to a point; thence South 1 degree 22 minutes 12 seconds East, a distance of 246.32 feet to a point on the North right of way line of

white is the white the will be to be the the the

Continuation

The Crossings at Hobart

U.S. Highway 30; thence Easterly on the North right of way line of U.S. Highway 30, a distance of 172.56 feet on the arc of a circle whose chord has a bearing of North 88 degrees 12 minutes 53 seconds East, a chord length of 172.56 feet and a radius of 98,117.96 feet to a point; thence North 2 degrees 48 minutes 02 seconds West, a distance of 149.98 feet to the point of beginning.

Also excepting therefrom that portion described as follows:

That part of the South East 1/4 of the North East 1/4 of Section 23, Township 35 North, Range 8 West of the 2nd Principal Meridian Lying North of the Northerly right-of-way line of U.S. Highway No. 30 bounded and described as follows:

Commencing at the point of intersection of the North right-of-way line of U.S. Highway No. 30 with the East line of the Northeast 1/4 of said Section 23, thence north 2 degrees 48 minutes 02 seconds West on the East line of the Northeast 1/4 of said Section 23, a distance of 150.0 feet; thence West parallel to the North line of U.S. Highway 30, (said parallel line having a bearing of South 88 degrees 06 minutes 00 seconds West) a distance of 180.0 feet to the point of beginning; thence continuing South 85 degrees 06 minutes 00 seconds West on said line parallel to the North line of U.S. Highway 30, a distance of 20.01 feet to a point; thence South 2 degrees 48 minutes 02 seconds East on a line parallel to the East line of the Northeast 1/4 of said Section 23, a distance of 149,98 feet; to a point on the North right of way line of U.S. Highway 30, thence Easterly on the North right of way line of U.S. Highway 30, a distance of 20.01 feet on the erc of a circle whose chord has a bearing of North 88 degrees 09 minutes 31 seconds East, a chord length of 20.01 feet and a radius of 98117.96 feet to a point; thence North 2 degrees 48 minutes 02 seconds West on a line parallel to the East line of the Northeast 1/4 of said Section 23 a distance of 150.00 feet to the point of beginning. All in Lake County, Indiana,

Also excepting therefrom that portion described as follows:

That part of the Scutheast 1/4 of the North East 1/4 of Section 23, Township 35 North, Range 8 West of the 2nd Principal Maridian lying North of the Northerly right-of-way line of U.S. Highway No. 30 bounded and described as follows:

Commencing at the point of intersection of the North right of way of U.S. Highway No. 30 with the East line of the Northeast 1/4 of said Section 23, thence North 2 degrees 48 minutes 02 seconds West on the East line of the Northeast 1/4 of said section 23, a distance of 150.0 feet to the point of beginning; thence West parallel to the North line of U.S. Highway 30, a distance of 60.01 feet to a point on a line 13.0 feet west of and parallel to the East line of the Northeast 1/4 of said Section 23; thence North 2 degrees 48 minutes 02 seconds West on a line parallel to the East line of the Northeast 1/4 of said Section 23, a distance of 1058.72 feet to a point on the North line of the Southeast 1/4 of the Northeast 1/4 of said Section 23, thence North 37 degrees 54 minutes 56 seconds East of the last described line, a distance of 60.01 feet to a point on the East line of the Northeast 1/4 of said Section 23; thence South 2 degrees 48 minutes 02 seconds East on the East line of the Northeast 1/4 of said Section 23; thence South 2 degrees 48 minutes 02 seconds East on the East line of the Northeast 1/4 of said Section 23, a distance of 1058.91 feet to the point of beginning. All in Lake County, Indians.

SEE CONTINUATION SHEET

DEVI

Continuation

The same of the sa

The Crossings at Hobert

Parcel IX: (Non-Exclusive Easement Rights appurtenant for roadways, walkways, ingress and egress and parking feolities as created by Easement Document dated May 17, 1990, recorded August 1, 1990 as Document No. 114786 over the following described land:) That part of the South East 1/4 of the North East 1/4 of Section 23, Township 35 North, Range 8 West of the 2nd Principal Maridian lying North of the Northerly right-of-way line of U.S. Highway No. 30 bounded and described as follows: Commencing at the point of intersection of the North right of way line of U.S. Highway No. 30 with the East line of the Northeast 1/4 of said Section 23, thence North 2 degrees 48 minutes 02 seconds West on the East line of the Northeast 1/4 of said Section 23, a distance of 150.0 fast; thence West parallel to the North line of U.S. Highway 30, a distance of 50.01 feet to the point on a line 50.0 feet West of and parallel to the East line of the Northeast 1/4 of said Section 23, said point being the point of beginning of the heroinafter described tract; thence continuing west on a line parallel to the North line of U.S. Highway 30, a distance of 150.0 feet to a point; thence North 2 degrees 48 minutes 02 seconds West on a line parallel to the East line of the Northaast 1/4 of said Section 23, a distance of 95.17 feat; thence South 83 degrees 37 minutes 48 seconds West, a distance of 185.44 feet to a point; thence South 1 degree 22 minutes 12 seconds East, a distance of 246.32 feet to a point on the North right of way line of U.S. Highway 30, thence Wasterly on the North right of way line of U.S. Highway 30, a distance of 233.50 feet on the arc of a circle whose chord has a bearing of South 88 degrees 20 minutes 00 seconds West, a chord length of 233.50 feet and a radius of 98117.96 feet to a point; thence North 1 degree 22 minutes 12 seconds West, a distance of 762.53 feet to a point; thence North 88 degrees 37 minutes 48 seconds East, a distance of 28.64 feet to a point; thence North 1 degree 22 minutes 12 seconds West, a distance of 282.84 feet to a point; thence South 88 degrees 37 minutes 48 seconds West, a distance of 50.00 feet to a point; thence North 1 degree 22 minutes 12 seconds West, a distance of 160.0 feet to a point on the North line of the Southeast 1/4 of the Northeast 1/4 of said section 23, thence North 87 degrees 54 minutes 56 seconds East on the last described line, a distance of 547.27 feet to a point on a line 50.0 feet West of and parallel to the East line of the Northeast 1/4 of said Section 23; thence South 2 degrees 48 minutes 02 seconds East on a line 50.0 feet West of and parallel to the East line of the Northeast 1/4 of said Section 23, a distance of 1058.75 feat to the point of beginning, all in Lake County, Indiana. (Sald Easement benefits Parcel VIII.)

