

STATE OF INDIANA
LAKE COUNTY
FILED FOR RECORD

C620001518 2000 056701

2000 AUG -9 AM 9:44

TRUSTEE'S DEED

MONNIS W. CARTER
RECORDER

Chicago Title Insurance Company

THIS INDENTURE WITNESSETH, That ROBERT J. CARNAGEY, TRUSTEE,
U/D/T DATED JANUARY 30, 1995, F/B/O THE CARNAGEY REVOCABLE TRUST,
by virtue of and pursuant to the authority vested in said Trustee
in and by said agreement, does hereby convey unto DONALD J.
CARNAGEY and NICOLE R. CARNAGEY, HUSBAND and WIFE, of Lake County,
Indiana, for and in consideration of Ten and 00/100 Dollars
(\$10.00) and other valuable consideration, receipt of which is
hereby acknowledged, the following described real estate situated
in Lake County, Indiana, to-wit:

The Easterly 51.60 feet of Lot 6 (as measured along the
Southerly line thereof) in the Corrected Plat of Stonebrook
Phase Two, a Planned Unit Development, in the Town of
Schererville, as per plat thereof, recorded in Plat Book 69,
Page 16, in the Office of the Recorder of Lake County,
Indiana, more commonly known as:

2103 Dorchester Lane, Unit C
Schererville, IN 46375

Tax Key # 20-13-499-38

Subject to all roadways, easements, restrictions of record and
taxes.

IN WITNESS WHEREOF, said Grantor has hereunto set her hand and
seal this 4th day of August, 2000.



Robert J. Carnagey
ROBERT J. CARNAGEY, TRUSTEE

ATTEST:

DULY ENTERED FOR TAXATION SUBJECT TO
FINAL ACCEPTANCE FOR TRANSFER

STATE OF INDIANA)
) SS:
COUNTY OF LAKE)

AUG 8 2000

PETER BENJAMIN
LAKE COUNTY AUDITOR

BEFORE ME, the undersigned, a Notary Public in and for said
County and State, personally appeared ROBERT J. CARNAGEY, TRUSTEE
U/D/T DATED JANUARY 30, 1995, F/B/O THE CARNAGEY REVOCABLE TRUST,
and as such Trustee acknowledges the execution of the foregoing
Trustee's Deed this 4th day of August, 2000.

My Comm. Exp.: 11 November, 2007

Signature

Resident of Porter County

Printed Name LORI L. SHELBY

00582

This instrument prepared by: JOSEPH S. IRAK, ATTORNEY AT LAW
9219 Broadway, M'ville, IN 46410
Atty. I.D. #4851-45 (219) 769-4552

Mail To:

14.00
8.00
CT