STATE OF ELDINA LAME COURT FILED FOR FILE PO

2000 060008

2000 AUS 18 AN 11: 43

MORRES W. CARTER RECORDER

## WARRANTY DEED

THIS INDENTURE WITNESSETH THAT:

Clarence E. Durall Sr. and Cynthia M. Durall of Lake County in the State of Indiana,

## CONVEY AND WARRANT TO:

Michael A. Bishop Jr. and Raquel A. Bishop, as husband and wife, as tenants by the entireties, of Lake County in the State of Indiana for and in consideration of Ten Dollars and other valuable consideration, the receipt whereof is hereby acknowledged, the following Real Estate in Lake County in the State of Indiana, to wit:

The South Twenty-five (25) feet of Lot Ten (10) and the North Twentyfive (25) feet of Lot Eleven (11), in Block One (1), the Woodbury Park Addition in the City of Gary, as per plat thereof, as the same appears of record in the Recorder's Office of Lake County, Indiana.

Subject to easements of highways, streets, alleys, sewers, drains, and public utilities Lake County Recorder!

IN WITNESS WHEREOF, the said Clarence E. Durall Sr. and Cynthia M. Durall, have hereunto set their hands and seals, this 16th

August , 2000.	_ uu, oz
Clarine EDunelly ( Justice in 6) &	
Clarence E. Durall Sr. (Seal) Cynthia M. Durall	(Seal)
STATE OF INDIANA ) ) SS:	
LAKE COUNTY	
Before me, the undersigned, a Notary Public in and for said C State, this 16th day of August , 2000, personally	
Clarence E. Durall Sr. and Cynthia M. Durall	
and acknowledged the execution of the foregoing deed.	

IN WITNESS WHEREOF, I have hereunto subscribed my name and affixed my official seal.

My Commission expires:

Notary Public STATE OF INDIANA URA L. ANDERSON Resident Of Lake County

A Resident of Corners of the November County

Michael A. Bishop Jr. and Raquel A. Bishop, -0n

TAX KEY NO (S): 25-47-0314-0010 THIS INSTRUMENT PREPARED BY: Douglas R. Kvachkoff, Attorney at Law, 325 N. Main Street, Crown Point, IN 46307, 219-662-8200.

Our File No. 2014247-01

FINAL ACCEPTANCE OF TAXATION SUBJECT TO

FINAL ACCEPTANCE FOR TRANSFER

AUG 182000

PETER BENJAMIN LAKE COUNTY AUDITOR

14.0° p.