

LICENSE OR PERMIT BOND

KNOW ALL BY THESE PRESENTS, That we, FIRE SCIENCE TECHNIQUES
as Principal, of 2880 W. Vermont
(Street and Number)

Blue Island IL and the AMERICAN STATES INSURANCE COMPANY
(City) (State) INDIANA corporation, as Surety, are held and firmly

bound unto Board of Commissioners of the County of Lake, State of Indiana, and any Cities and Towns in Lake
County, Indiana, as Obligees, in the sum of

Five Thousand Dollars And Zero Cents Dollars (\$ 5,000)
for which sum, well and truly to be paid, we bind ourselves, our heirs, executors, administrators, successors and assigns,
jointly and severally, firmly by these presents:

Sealed with our seals, and dated this 27th day of July 2007.

THE CONDITION OF THIS OBLIGATION IS SUCH, That WHEREAS, the Principal has been or is about to be granted
a license or permit to do business as Fire Suppression

by the Obligees.
NOW, THEREFORE, if the Principal well and truly comply with applicable local ordinances, and conduct business in
conformity therewith, then this obligation to be void; otherwise to remain in full force and effect.

- PROVIDED, HOWEVER:
1. This bond shall continue in force:
 - Until July 27, 2008, or until the date of expiration of any Continuation Certificate
 - executed by the Surety
 - OR
 - Until canceled as herein provided.
 2. This bond may be canceled by the Surety by the sending of notice in writing to the Obligees, stating when not less than
thirty days thereafter, liability hereunder shall terminate as to subsequent acts or omissions of the Principal.

** I affirm, under the penalties for perjury, that I have taken reasonable care to redact each social security number in this
document, unless required by law. **

STATE OF INDIANA
LAKE COUNTY
FILED FOR REC'D
2007 JUN 29 AM 11:15
MICHAEL A. BRUNN
RECORDER

Document is NOT OFFICIAL
This Document is the property of the Lake County Recorder!

FIRE SCIENCE TECHNIQUES
Denis J O'Conor
Principal

AMERICAN STATES INSURANCE COMPANY
By TAMIKOLAJEWSKI
Tim Mikolajewski Senior Vice-President, Surety

1200
CS
B