6.									
UCC FINANCING FOLLOW INSTRUCTION A. NAME & PHONE OF G	NS (front and back)	CAREFULLY			LAKE OF LAKE C FILED FOR	INDIARA DUNTY I RECORD			
		4	2007 000164		2007 MAR - 1	AM 9: 38			
60 Cutter M Suite 204 Great Neck	Lavin, LLP	1021			MICHAEL A RECOR	BAOWN			
	se one	,	THE ABO	OVE SPACE IS FO	OR FILING OFFICE U	SE ONLY			
1. DEBTOR'S EXACT F		insert only one debtor name (1a or 1)	b) - do not abbreviate or combine names						
OR GATEWAY A 1b. INDIVIDUAL'S LAST	RTHUR, INC		FIRST NAME	MIDDLE	NAME	SUFFIX			
1c. MAILING ADDRESS c/o Emmes, 420 L	exington Aven	ue, Suite 900	ony New York	STATE	POSTAL CODE	COUNTRY			
1d. SEE INSTRUCTIONS	ADD'L INFO RE ORGANIZATION DEBTOR	1e. TYPE OF ORGANIZATION corporation	1f. JURISDICTION OF ORGANIZATION California		1g. ORGANIZATIONAL ID #, if any P2944702				
2. ADDITIONAL DEBTO 2a. ORGANIZATION'S N		LEGAL NAME - insert only one	debtor name (2a or 2b) - do not abbreviate or	combine names					
OR 2b. INDIVIDUAL'S LAST	NAME		FIRST NAME	MIDDLE	NAME	SUFFIX			
2c. MAILING ADDRESS			CITY	STATE	POSTAL CODE	COUNTRY			
2d. <u>SEE INSTRUCTIONS</u>	ADD'L INFO RE ORGANIZATION DEBTOR	2e. TYPE OF ORGANIZATION	2f. JURISDICTION OF ORGANIZATION	2g. ORG	RGANIZATIONAL ID #, if any				
3a. ORGANIZATION'S N	IAME	TOTAL ASSIGNEE OF ASSIGNOR SO	/P) - insert only <u>one</u> secured party name (3a or 3	b)					
OR 3b. INDIVIDUAL'S LAST		INADERS TRUST C	FIRST NAME	MIDDLE	NAME	SUFFIX			
3c. MAILING ADDRESS			CITY	STATE	POSTAL CODE	COUNTRY			

All machinery, equipment, fittings, fixtures, furnishings, etc. now or hereafter located at Double Tree Plaza, 10787-10839 Randolph Street, Crown Point, Indiana or the appurtenances thereto, or now or hereafter affixed to any building thereon, whether or not same is used for any present or future occupancy thereof.

5. ALTERNATIVE DESIGNATION [if applicable]:	LESSEE/LESSOR	CONSIGNEE/CONSIGNOR	BAILEE/BAILOR	SELLER/BUYER	AG. LIEN	NON-L	JCC FILING
6. This FINANCING STATEMENT is to be filed ESTATE RECORDS. Attach Addendum	[for record] (or recorded)	in the REAL 7. Check to REC	UEST SEARCH REPO	RT(S) on Debtor(s)	All Debtors	Debtor 1	Debtor 2
8. OPTIONAL FILER REFERENCE DATA							
#17248 (February, 2007)					LAKE CO	DUNTY	TO SERVICE

FILING OFFICE COPY — UCC FINANCING STATEMENT (FORM UCC1) (REV. 05/22/02)

QH420044885

TYRIE OF MEMANIA LAKE COUNTY FILED FOR RECORD UCC FINANCING STATEMENT ADDENDUM FOLLOW INSTRUCTIONS (front and back) CAREFULLY 2007 MAR - | AM 9: 38 9. NAME OF FIRST DEBTOR (1a or 1b) ON RELATED FINANCING STATEMENT a. ORGANIZATION'S NAME MICHAEL A. BROWN OR GATEWAY ARTHUR, INC. 9b. INDIVIDUAL'S LAST NAME FIRST NAME MIDDLE NAME SUFFIX RECORDER 10. MISCELLANEOUS: THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY 11. ADDITIONAL DEBTOR'S EXACT FULL LEGAL NAME - insert only one name (11a or 11b) - do not abbreviate or combine names OR 11b. INDIVIDUAL'S LAST NAME MIDDLE NAME SUFFIX FIRST NAME 11c. MAILING ADDRESS CITY STATE POSTAL CODE COUNTRY ADD'L INFO RE 11e. TYPE OF ORGANIZATION ORGANIZATION DEBTOR 111. JURISDICTION OF ORGANIZATION 11g. ORGANIZATIONAL ID #, if any 11d. SEE INSTRUCTIONS NONE 12. ADDITIONAL SECURED PARTY'S or ASSIGNOR S/P'S NAME insert only one name (12a or 12b) OR 12b. INDIVIDUAL'S LAST NAME FIRST NAME MIDDLE NAME SUFFIX COLINTRY 12c. MAILING ADDRESS CITY STATE POSTAL CODE 13. This FINANCING STATEMENT covers timber to be cut or as-extracted collateral, or is filed as a fixture filing 14. Description of real estate: **Double Tree Plaza** 10787-10839 Randolph Street Crown Point, Indiana County of Lake Taxing Unit No. 44 Key No. 54-1-11, 32, 34 and 36 15. Name and address of a RECORD OWNER of above-described real estate (if Debtor does not have a record interest): 17. Check only if applicable and check only one box.

Debtor is a Trust or Trustee acting with respect to property held in trust or Decedent's Estate

Filed in connection with a Manufactured-Home Transaction — effective 30 years
Filed in connection with a Public-Finance Transaction — effective 30 years

18. Check only if applicable and check only one box.

Debtor is a TRANSMITTING UTILITY

SCHEDULE A

LAKE COUNTY FILED FOR RECORD

PARCEL 1: A part of the Southwest 1/4 of Section 4, Township 34 North, Range 7 West, Winfield Township, Lake County, Indiana, described as follows: Beginning at Southwest Corner of Section 4 Township 34 North Range 7 West Thence North 00 04'12" West a distance of 635.01 feet along the section line to a point, Thence South 89 44'05" East, a distance of 50.00 feet to a 1" pipe found, the TRUE POINT OF BEGINNING; Thence North 00 04'12" West, a distance of 50.00 feet to a 1" pipe found, Thence South 89 44'08" East, a distance of 190.12 feet to a curb cut found. Thence along a curve having radius of 30.00 feet, an 25.07 feet, a chord bearing of North 23 52'51" East, and a chord distance of 24.35 feet to a curb cut found, Thence North 00 04'12" West, a distance of 409.70 feet to a curb cut found, Thence South 89 44'05" East, a distance of 536.00 feet to a 1" pipe found, Thence South 00 04'12" East, a distance of 1067.02 feet to a 1" pipe found, Thence North 89 44'05" West a distance of 253.53 feet to a curb cut found, Thence South 89 44'05" West, a distance of 54.68 feet to a iron pipe found, Thence North 00 15'55" East, a distance of 217.76 feet to a curb cut found, Thence along a curve to the left having a radius of 30.00 feet, an arc length of 5.84 feet, a chord bearing of North 79 37'33" West, and a chord distance of 5.83 feet to a curb cut found, Thence South 89 59'52" West, a distance of 163.72 feet to a curb cut found, Thence along a curve to the right having a radius of 60.00 feet, an arc length of 0.57 feet, a chord bearing of North 89 42'59" West, and a chord distance of 0.57 feet to a 1" pipe found, Thence North 00 15'55" East, a distance of 15.00 feet to a nail found, Thence along a curve to the right having a radius of 45.00 feet, an arc length of 47.44 feet, a chord bearing of North 59 09'26" West, and a chord distance of 45.27 feet to a nail found, Thence South 61 01'52" West, a distance of 15.00 feet to a curb cut found, Thence along a curve to the right having a radius of 60.00 feet, an arc length of 30.33 feet, a chord bearing of North 14.28'53" West, and a chord distance of 30.01 feet to a iron pipe found, Thence North 00 00'08" West, a distance & 283.98 feet to a nail found, Thence along a curve to the left having a radius of 30.00 feet, an arc length of 27.55 feet, a chord bearing of North 26 18'13" West, and a chord distance of 26.59 feet to a curb cut found, Thence North 89 44'05" West, a distance of 188.28 feet to a point, THE TRUE POINT OF BEGINNING.

PARCEL 2: Part of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, in Lake County, Indiana, being more particularly described as follows: Commencing at the intersection of the North line of the South 635.00 feet of said Southwest Quarter with the East line of the West 50.00 feet of said Southwest Quarter; thence North 0 degrees 04 minutes 12 seconds West, along said East line, 50.00 feet to the true place of beginning; thence South 89 degrees 44 minutes 05 seconds, along a line parallel with the South line of said Southwest Quarter, 190.12 feet; thence Northeasterly, along a curve convex to the Southeast, having a radius of 30.00 feet and whose center point 707.13 feet North of the South line of said Southwest Quarter and 220.00 feet East of the West line of said Southwest Quarter, an arc distance of 25.07 feet to a point of tangency, lying on the East line of the West 250.00 feet of said Southwest Quarter; thence North 0 degrees 04 minutes 12 seconds West, along said East line, 215.21 feet to a point on the North line of the South 922.51 feet of said Southwest Quarter; thence North 89 degrees 44 minutes 05 seconds West, along said North line, 200.00 feet to a point on the East line of the West 50.00 feet of said Southwest Quarter; thence South 0 degrees 4 minutes 12 seconds East, along said East line, 237.52 feet to the place of beginning, all in Lake County, Indiana.

PARCEL 3: The East 200.00 feet of the West 250.00 feet of the South 1117.00 feet (except the South 922.51 feet thereof) of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, in Lake County, Indiana.

continued												

SCHEDULE A - continued

LAKE COUNTY FILED FOR RECORD

2007 000164

PARCEL 4: That part of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, described as follows: Beginning at a point which is 50.00 feet North of the South line of said Southwest Quarter and 50.00 feet East of the West line of said Southwest Quarter, thence North 0 degrees 04 minutes 12 seconds West. along a line parallel to said West line, 240.56 feet to a point of beginning; thence North 89 degrees 55 minutes 48 seconds East, along a line perpendicular to said West line, 195.48 feet; thence North 61 degrees 01 minute 52 seconds East 13.35 feet to a point on a curve whose center point is 309.70 feet East of the West line of said Southwest Quarter and 327.52 feet North of the South line of said Southwest Quarter; thence Northwest, along said curve, 30.33 feet; thence North 0 degrees 00 minutes 08 seconds West 100.77 feet to a point on the North line of the South 428.00 feet of said Southwest Quarter; thence North 89 degrees 44 minutes 05 seconds West, along said North line, 199.82 feet to a point on the East line of the West 50.00 feet of said Southwest Quarter; thence South 0 degrees 04 minutes 12 seconds East, along said East line, 137.45 feet to the point of beginning; all in Lake County, Indiana.

PARCEL 5: That part of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, described as follows: Beginning at a point lying on the North line of the South 50.00 feet of said Southwest Quarter, a distance of 307.79 feet East of the West line of said Southwest Quarter, said point being the Southeast corner of land deeded to Family Express Corporation, by Deed dated August 1, 1985 and recorded August 9, 1995, as Document No. 94044816; thence North 0 degrees 15 minutes 55 seconds East, along the East line of said deeded land, 217.52 feet; thence Southeasterly, along a curve convex to the Southwest, having a radius of 60.00 feet and whose center point is 309.70 feet East of the West line of said Southwest Quarter and 327.52 feet North of the South line of said Southwest Quarter, an arc distance of 0.57 feet to a point of tangency; thence North 89 degrees 59 minutes 52 seconds East, along a line tangent to aforesaid curve at last described point, 163.72 feet to a point of curvature; thence Southeasterly, along a curve convex to the Northeast, having a radius of 30.00 feet and whose center point is 236.29 feet North of the South line of said Southwest Quarter and 473.31 feet East of the West line of said Southwest Quarter, an arc distance of 5.74 feet; thence South 0 degrees 15 minutes 55 seconds West, along a line perpendicular to the South line of said Southwest Quarter, 217.76 feet to a point 50.00 feet North of said South line and 477.79 feet East of the West line of said Southwest Quarter; thence North 89 degrees 44 minutes 05 seconds West, along a line parallel to said South line, 170.00 feet to the point of beginning, all in Lake County, Indiana.

PARCEL 6: That part of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, described as follows: Beginning at the intersection of the North line of the South 635.00 feet of said Southwest Quarter with the East line of the West 50.00 feet of said Southwest Quarter; thence North 0 degrees 4 minutes 12 seconds West, along said East line, 50.00 feet; thence South 89 degrees 44 minutes 5 seconds East, along a line parallel to the South line of said Southwest Quarter, 190.12 feet; thence Northeasterly, along a curve convex to the Southeast, having a radius of 30.00 feet and whose center point is 707.13 feet North of the South line of said Southwest Quarter and 220.00 feet East of the West line of said Southwest Quarter, an arc distance of 25.07 feet to a point of tangency, lying on the East line of the West 250.00 feet of said Southwest Quarter; thence North 0 degrees 4 minutes 12 seconds West, along said East line, 409.70 feet to a point on the North line of the South 1117.00 feet of said Southwest Quarter; thence South 89 degrees 44 minutes 5 seconds East, along said North line, 362.67 feet to a point beginning; thence continuing South 89 degrees 44 minutes 5 seconds East, 21.90

continued.	 :	 	 	

SCHEDULE A - continued

feet; thence North 24 degrees 19 minutes 27 seconds East, 3.32 feet; thence North 65 degrees 40 minutes 33 seconds West, 20.00 feet; thence South 24 degrees 19 minutes 27 seconds West, 12.25 feet to the point of beginning, all In Lake County, Indiana.

That part of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, described as follows: Beginning at the intersection of the North line of the South 635.00 feet of said Southwest Quarter with the East line of the West 50.00 feet of said Southeast Quarter; thence North 0 degrees 4 minutes 12 seconds West, along said East line, 50.00 feet; thence South 89 degrees 44 minutes 5 seconds East, along a line parallel to the South line of said Southwest Quarter, 190.12 feet; thence Northeasterly, along a curve convex to the Southeast, having a radius of 30.00 feet, and whose center point is 707.13 feet North of the South line of said Southwest Quarter and 220.00 feet East of the West line of said Southwest Quarter, an arc distance of 25.07 feet to a point of tangency, lying on the East line of the West, 250.00 feet of said Southwest Quarter; thence North 0 degrees 4 minutes 12 seconds West, along said East line, 409.70 feet to a point of beginning on the North line of the South 1117.00 feet of said Southwest Quarter; thence North 89 degrees 44 minutes 5 seconds West, along said North line, 20.00 feet; thence North 0 degrees 4 minutes 12 seconds West, 50.00 feet; thence South 89 degrees 44 minutes 5 seconds East, 20.00 feet; thence South 0 degrees 4 minutes 12 seconds East, 50.00 feet to the point of beginning, all in Lake County, Indiana

Premises:

Double Tree Plaza

10787-10839 Randolph Street, Crown Point, Indiana

Taxing Unit No. 44

Key No. 54-1-11, 32, 34 and 36

2007 HAR -1 AM 9: 3

LAKE COUNTY FILED FOR RECORD

Drubbe Tree

SCHEDULE A

PARCEL 1: A part of the Southwest 1/4 of Section 4, Township 34 Worth, Range 7 West, Winfield Township, Lake County, Indiana, described as follows: Beginning at Southwest Corner of Section 4 Township 34 North Range 7 West Thence North 00 04'12" West, a distance of 635.01 feet along the section line to a point, Thence South 89 44'O5" East, a distance of 50.00 feet to a 1" pipe found, the TRUE POINT OF BEGINNING; Thence North 00 04'12" West, a distance of 50.00 feet to a 1" pipe found, Thence South 89 44'08" East, a distance of 190.12 feet to a curb cut found. Thence along a curve having the left radius of 30.00 feet, an 25.07 feet, a chord bearing of North 23 52'51" East, and a chord distance of 24.35 feet to a curb cut found, Thence North 00 04'12" West, a distance of 409.70 feet to a curb cut found, Thence South 89 44'05" East, a distance of 536.00 feet to a 1" pipe found, Thence South 00 04'12" East, a distance of 1067.02 feet to a 1" pipe found, Thence North 89 44'05" West a distance of 253.53 feet to a curb cut found, Thence South 89 44'05" West, a distance of 54.68 feet to a iron pipe found, Thence North 00 15'55" East, a distance of 217.76 feet to a curb cut found, Thence along a curve to the left having a radius of 30.00 feet, an arc length of 5.84 feet, a chord bearing of North 79 37'33" West, and a chord distance of 5.83 feet to a curb cut found, Thence South 89 59'52" West, a distance of 163.72 feet to a curb cut found, Thence along a curve to the right having a radius of 60.00 feet, an arc length of 0.57 feet, a chord bearing of North 89 42'59" West, and a chord distance of 0.57 feet to a 1" pipe found, Thence North 00 15'55" East, a distance of 15.00 feet to a nail found, Thence along a curve to the right having a radius of 45.00 feet, an arc length of 47.44 feet, a chord bearing of North 59 09'26" West, and a chord distance of 45.27 feet to a nail found, Thence South 61 01'52" West, a distance of 15.00 feet to a curb cut found, Thence along a curve to the right having a radius of 60.00 feet, an arc length of 30.33 feet, a chord bearing of North 14.28'53" West, and a chord distance of 30.01 feet to a iron pipe found, Thence North 00 00'08" West, a distance & 283.98 feet to a nail found, Thence along a curve to the left having a radius of 30.00 feet, an arc length of 27.55 feet, a chord bearing of North 26 18'13" West, and a chord distance of 26.59 feet to a curb cut found, Thence North 89 44'05" West, a distance of 188.28 feet to a point, THE TRUE POINT OF BEGINNING.

PARCEL 2: Part of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, in Lake County, Indiana, being more particularly described as follows: Commencing at the intersection of the North line of the South 635.00 feet of said Southwest Quarter with the East line of the West 50.00 feet of said Southwest Quarter; thence North 0 degrees 04 minutes 12 seconds West, along said East line, 50.00 feet to the true place of beginning; thence South 89 degrees 44 minutes 05 seconds, along a line parallel with the South line of said Southwest Quarter, 190.12 feet; thence Northeasterly, along a curve convex to the Southeast, having a radius of 30.00 feet and whose center point 707.13 feet North of the South line of said Southwest Quarter and 220.00 feet East of the West line of said Southwest Quarter, an arc distance of 25.07 feet to a point of tangency, lying on the East line of the West 250.00 feet of said Southwest Quarter; thence North 0 degrees 04 minutes 12 seconds West, along said East line, 215.21 feet to a point on the North line of the South 922.51 feet of said Southwest Quarter; thence North 89 degrees 44 minutes 05 seconds West, along said North line, 200.00 feet to a point on the East line of the West 50.00 feet of said Southwest Quarter; thence South 0 degrees 4 minutes 12 seconds East, along said East line, 237.52 feet to the place of beginning, all in Lake County, Indiana.

PARCEL 3: The East 200.00 feet of the West 250.00 feet of the South 1117.00 feet (except the South 922.51 feet thereof) of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, in Lake County, Indiana.

																			1	
																			ł	
continued	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	

SCHEDULE A - continued

PARCEL 4: That part of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, described as follows: Beginning at a point which is 50.00 feet North of the South line of said Southwest Quarter and 50.00 feet East of the West line of said Southwest Quarter; thence North 0 degrees 04 minutes 12 seconds West. along a line parallel to said West line, 240,56 feet to a point of beginning; thence North 89 degrees 55 minutes 48 seconds East, along a line perpendicular to said West line, 195.48 feet; thence North 61 degrees 01 minute 52 seconds East 13.35 feet to a point on a curve whose center point is 309.70 feet East of the West line of said Southwest Quarter and 327.52 feet North of the South line of said Southwest Quarter; thence Northwest, along said curve, 30.33 feet; thence North 0 degrees 00 minutes 08 seconds West 100.77 feet to a point on the North line of the South 428.00 feet of said Southwest Quarter; thence North 89 degrees 44 minutes 05 seconds West, along said North line, 199.82 feet to a point on the East line of the West 50.00 feet of said Southwest Quarter; thence South 0 degrees 04 minutes 12 seconds East, along said East line, 137.45 feet to the point of beginning; all in Lake County, Indiana.

PARCEL 5: That part of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, described as follows: Beginning at a point lying on the North line of the South 50.00 feet of said Southwest Quarter, a distance of 307.79 feet East of the West line of said Southwest Quarter, said point being the Southeast corner of land deeded to Family Express Corporation, by Deed dated August 1, 1985 and recorded August 9, 1995, as Document No. 94044816; thence North 0 degrees 15 minutes 55 seconds East, along the East line of said deeded land, 217.52 feet; thence Southeasterly, along a curve convex to the Southwest, having a radius of 60.00 feet and whose center point is 309.70 feet East of the West line of said Southwest Quarter and 327.52 feet North of the South line of said Southwest Quarter, an arc distance of 0.57 feet to a point of tangency; thence North 89 degrees 59 minutes 52 seconds East, along a line tangent to aforesaid curve at last described point, 163.72 feet to a point of curvature; thence Southeasterly, along a curve convex to the Northeast, having a radius of 30.00 feet and whose center point is 236.29 feet North of the South line of said Southwest Quarter and 473.31 feet East of the West line of said Southwest Quarter, an arc distance of 5.74 feet; thence South 0 degrees 15 minutes 55 seconds West, along a line perpendicular to the South line of said Southwest Quarter, 217.76 feet to a point 50.00 feet North of said South line and 477.79 feet East of the West line of said Southwest Quarter; thence North 89 degrees 44 minutes 05 seconds West, along a line parallel to said South line, 170.00 feet to the point of beginning, all in Lake County, Indiana.

PARCEL 6: That part of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, described as follows: Beginning at the intersection of the North line of the South 635.00 feet of said Southwest Quarter with the East line of the West 50.00 feet of said Southwest Quarter; thence North 0 degrees 4 minutes 12 seconds West, along said East line, 50.00 feet; thence South 89 degrees 44 minutes 5 seconds East, along a line parallel to the South line of said Southwest Quarter, 190.12 feet; thence Northeasterly, along a curve convex to the Southeast, having a radius of 30.00 feet and whose center po East of the West line on the East line of t seconds West, along said Southwest Qua 362.67 feet to a poi

oint is 707.13 feet North of the South line of said Southwest Quarter and 220.00 feet	
e of said Southwest Quarter, an arc distance of 25.07 feet to a point of tangency, lying	
he West 250.00 feet of said Southwest Quarter; thence North 0 degrees 4 minutes 12	
said East line, 409.70 feet to a point on the North line of the South 1117.00 feet of	
arter, thence South 89 degrees 44 minutes 5 seconds East, along said North line,	
nt beginning; thence continuing South 89 degrees 44 minutes 5 seconds East, 21.90	

SCHEDULE A - continued

feet; thence North 24 degrees 19 minutes 27 seconds East, 3.32 feet; thence North 65 degrees 40 minutes 33 seconds West, 20.00 feet; thence South 24 degrees 19 minutes 27 seconds West, 12.25 feet to the point of beginning, all In Lake County, Indiana.

That part of the Southwest Quarter of Section 4, Township 34 North, Range 7 West of the Second Principal Meridian, described as follows: Beginning at the intersection of the North line of the South 635.00 feet of said Southwest Quarter with the East line of the West 50.00 feet of said Southeast Quarter; thence North 0 degrees 4 minutes 12 seconds West, along said East line, 50.00 feet; thence South 89 degrees 44 minutes 5 seconds East, along a line parallel to the South line of said Southwest Quarter, 190.12 feet; thence Northeasterly, along a curve convex to the Southeast, having a radius of 30.00 feet, and whose center point is 707.13 feet North of the South line of said Southwest Quarter and 220.00 feet East of the West line of said Southwest Quarter, an arc distance of 25.07 feet to a point of tangency, lying on the East line of the West, 250.00 feet of said Southwest Quarter; thence North 0 degrees 4 minutes 12 seconds West, along said East line, 409.70 feet to a point of beginning on the North line of the South 1117.00 feet of said Southwest Quarter; thence North 89 degrees 44 minutes 5 seconds West, along said North line, 20.00 feet; thence North 0 degrees 4 minutes 12 seconds West, 50.00 feet; thence South 89 degrees 44 minutes 5 seconds East, 20.00 feet; thence South 0 degrees 4 minutes 12 seconds East, 50.00 feet to the point of beginning, all in Lake County, Indiana

Premises:

Double Tree Plaza

10787-10839 Randolph Street, Crown Point, Indiana

Taxing Unit No. 44

Key No. 54-1-11, 32, 34 and 36

07 00

MICHAEL / BROWN

FILED FOR RECORD